

2-4 HORSEPOWER

3-4 HP Weedless1952 - 73
 2, 3.3 HP2000 & Newer

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless		Ballistic High Performance Stai	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch Blades	RH LH	Dia. x Pitch Blades	RH
Std. Replacement	6-1/8 L 4-1/2	3	203919	012001						

4-8 HORSEPOWER

4 HP1980 - 83
 4.5 Deluxe1986 - 95
 6, 7.5, 8 HP1980 & Newer

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless		Ballistic High Performance Stai	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch Blades	RH LH	Dia. x Pitch Blades	RH
Heavy Bts., SB	8-1/2 R 7	3	391096	012031						
Std. Replacement	8-1/2 R 9	3	390237	012032						

5 HORSEPOWER

5 HP1965 - 68

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless		Ballistic High Performance Stai	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch Blades	RH LH	Dia. x Pitch Blades	RH
12-14' Bts. - LL	8 L 7-1/2	3	380104	012004						

5.5-6 HORSEPOWER

5.5-6 HP1954 - 65

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless		Ballistic High Performance Stai	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch Blades	RH LH	Dia. x Pitch Blades	RH
14-16' Bts. - LL	7-3/4 R 6-1/2	3		012067						
12-14' Bts. - LL	8 R 7-1/4	2	376968	012060						

6-15 HORSEPOWER

6 HP1966 - 79
 9.5 HP1964 - 73
 10 HP1958 - 63
 10, 12, 14 HP ***1982 - 94
 8-15 HP2000 & Newer

(PIN DRIVE)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless		Ballistic High Performance Stai	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch Blades	RH LH	Dia. x Pitch Blades	RH
14-16' Bts. - LL	7-3/4 R 6-1/2	3		012068						
14-16' Bts. - AL, SK	8-1/4 R 8	3	387334	012008						
14-16' Runabouts	8-1/4 R 9	3	391534	012101						
12-14' Bts. - LL	8 R 7-1/4	3	376968	012005						
12-14' Bts. - LL	8-1/4 R 8-1/2	3	377635	012007						

10 HORSEPOWER

10 HP1951 - 57

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless		Ballistic High Performance Stai	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch Blades	RH LH	Dia. x Pitch Blades	RH
12-14' Bts. - AL	9 R 8	3	277595	012006						

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

*** Engines offered in European Market Only

9.9-15 HORSEPOWER

9.9-15 HP1974 & Newer
 8, 9.9, 15 HP (4 Stroke)1995 & Newer
 (13 SPLINE & THRU HUB EXHAUST)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance		Stainless		Ballistic High Performance St	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
Heavy Bts. - SB	10 R 5	3	386669	012113								
14-16' Bts. - AL, SK	10 R 7	3	398126	012112								
Std. Replacement	9-1/2 R 10	3	174950	012111								

15-25 HORSEPOWER

15 HP1953 - 56
 18 HP1957 - 73
 (PIN DRIVE)

20 HP1969 - 73
 25 HP1969 - 77

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance		Stainless		Ballistic High Performance St	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
CR, HB, SB	9-1/4 R 7	3	388294	012102								
16-18' Bts. - HL	9 R 8	3		012014								
Weedless	9 R 10	3	592959	012076								
14-16' Bts. - HL	9 R 9	3	379717	012109								
12-14' Bts. - HL	9 R 10	3	383629	012011								
12-14' Bts. - LL	9-1/4 R 11	3	388088	012013								
12-14' Bts. - LL	9-1/4 R 12	3		012010								

14-28 HORSEPOWER

14 HP1989
 25 HP1978-84
 (SPLINE DRIVE)

25 HP§1978-91
 28 HP1986-96

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance		Stainless		Ballistic High Performance St	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
16-18' Bts. - HL	9 R 9	3	389068	012021								
16-18' Bts. - HL	9 R 9	3		★011030								
15-17' Bts. - AL, SK	9 R 10	3	389069	012015								
15-17' Bts. - AL, SK	9 R 10	3		★011031								
14-17' Bts. - AL, SK	9-1/4 R 11	3	388883	012016								
14-17' Bts. - LL	9-1/4 R 12	3	389944	012030								

20-35 HORSEPOWER

20 HP 2 Cyl.1984 - 97
 25 HP 2 & 3 Cyl.1984 & Newer
 25 HP (Commercial)1993 & Newer
 (THRU HUB EXHAUST)

30 HP 2 Cyl.1984 & Newer
 35 HP 2 & 3 Cyl.1976 & Newer

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance		Stainless		Ballistic High Performance St	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
CR, - HB	11-1/4 R 7	3	387320	012053								
CR, - HB	11-1/4 R 7	3		★011032								
17-20' Bts. - AL, SK	11 R 9	3	386317	012054								
17-20' Bts. - AL, SK	11 R 9	3		★011033								
16-18' Bts. - AL, SK	10-1/2 R 11	3	175190	012055								
15-17' Bts. - AL, SK	10 R 13	3	175191	012056							10-1/8 x 13	3 305029
13-15' Bts. - AL, SK	10 R 15	3	390380	012057							10-1/8 x 15	3 305030

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

★ New Cupped Version. § Commercial & Workhorse Engines

25-40 HORSEPOWER

25 HP	1951 - 55	35 HP	1957 - 59
28 HP	1962 - 64	40 HP	1960 - 76
30 HP	1956	40 HP§	1978 - 85
33 HP	1965 - 70		

(PIN DRIVE)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum OEM	Part No. Michigan	Stainless OEM	Part No. Michigan	Rapture Performance Dia. x Pitch	Blades RH	Stainless LH	Ballistic High Performance Dia. x Pitch	Blades RH
CR, HB, SB	10-1/2 R 10	3	376738	012027							
17-19' Bts. - AL, SK	10-3/8 R 11-1/2	3	385955	012023							
14-16' Bts. - AL, SK	10-3/8 R 12-1/2	3	378580	012022							
14-16' Bts. - AL, SK	10-1/2 R 12	3	380637	012024							
14-16' Bts. - LL	10-3/8 R 13-1/2	3	378579	012025							
14-16' Bts. - LL	10-1/2 R 13	3	384460	012028							
12-14' Bts. - LL	10-3/8 R 14	3	378571	012026							



40-50 HORSEPOWER (4-STROKE)

40 (4-Stroke)	1999 & Newer	50 (4-Stroke)	1999 & Newer
---------------------	--------------	---------------------	--------------

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum OEM	Part No. Michigan	Stainless OEM	Part No. Michigan	Rapture Performance Dia. x Pitch	Blades RH	Stainless LH	Ballistic High Performance Dia. x Pitch	Blades RH
18-21' Bts. - AL	12-1/4 R 10	3		032045			10-1/2 x 10	3	033093		
18-21' Bts. - AL	12-1/4 R 10	3		★031072							
17-19' Bts. - AL	12 R 11	3		032044							
17-19' Bts. - AL	12 R 11	3		★031073							
16-18' Bts. - LL	10-5/8 R 12	3			113001		10-1/2 x 12	3	033094		
15-17' Bts. - LL	11-3/4 R 12	3		032043							
14-16' Bts. - LL	11-1/2 R 13	3		032042			10-1/2 x 13	3	033095	10-1/8 x 13	3 395929
13-15' Bts. - LL	10-1/4 R 14	3			113002		10-1/2 x 14	3	033096		
12-14' Bts. - LL	11-1/4 R 14	3		032041							
12-14' Bts. - LL	11 R 15	3		032040			10-1/2 x 15	3	033097	10-1/8 x 15	3 395930
12-14' Bts. - LL	10-3/4 R 16	3		032039							

40-75 HORSEPOWER • SMALL GEARCASE

40 HP 2 Cyl.	1984 & Newer	60 HP 2 Cyl.	1980-85
48 HP	1987-96	75 HP 3 Cyl.	1975-85
50 HP 2 Cyl.	1975 & Newer	Sprint	1986-92
55 HP 2 Cyl.	1976-1979	Formula E	1986-92

(SMALL GEARCASE & THRU HUB EXHAUST)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum OEM	Part No. Michigan	Stainless OEM	Part No. Michigan	Rapture Performance Dia. x Pitch	Blades RH	Stainless LH	Ballistic High Performance Dia. x Pitch	Blades RH
CR, HB	13 R 11	3	386907	012036			11-3/4 x 11	3	013080		
CR, HB	13 R 11	3		★011034							
15-18' Bts. - AL, SK	12-1/2 R 13	3	386909	012037	390849	013024	11-3/4 x 13	3	013081		
15-18' Bts. - AL, SK	12-1/2 R 13	3		★011035							
14-17' Bts. - AL, SK	12-1/4 R 15	3	176421	★011027							
14-17' Bts. - AL, SK	12-1/4 R 15	3	386786	012038	390850	013010	11-3/4 x 15	3	013082	12-3/8 x 15	3 325030
13-15' Bts. - LL	11-3/4 R 17	3	176422	★011028							
13-15' Bts. - LL	11-3/4 R 17	3	386841	012039	390851	013026	11-3/4 x 17	3	013083	12 x 17	3 325031
12-14' Bts. - LL	11-1/2 R 19	3	176423	★011029							
12-14' Bts. - LL	11-1/2 R 19	3	386908	012040							
12-14' Bts. - LL	11-1/2 R 19	3			390852	013032					

50 HORSEPOWER

50 HP V-4 (PIN DRIVE)	1958-59
-----------------------------	---------

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum OEM	Part No. Michigan	Stainless OEM	Part No. Michigan	Rapture Performance Dia. x Pitch	Blades RH	Stainless LH	Ballistic High Performance Dia. x Pitch	Blades RH
14-16' Bts. - AL, SK	12-1/8 R 14	3	278155	012033							

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weed

★ New Cupped Version § Commercial & Workhorse Engines

45-75 HORSEPOWER • LARGE GEARCASE

45 HP 2 Cyl. Commercial1986 & Newer	50 HP 3 Cyl. Pleasure1994 & Newer
50 HP 2 Cyl. Commercial1977-79	55 HP 3 Cyl. Pleasure1968-69
55 HP 2 Cyl. Commercial1980 & Newer	60 HP 3 Cyl. Pleasure1970-71, 1986 & Newer
65 HP 3 Cyl. Commercial1984 & Newer	65 HP 3 Cyl. Pleasure1972-73
50 HP 2 Cyl. Pleasure1971-74	70 HP 3 Cyl. Pleasure1974 & Newer
75 HP 3 Cyl. Pleasure1975-84	

(LARGE GEARCASE & THRU HUB EXHAUST)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance St	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch Blades	RH	LH	Dia. x Pitch Blades	RH
CR, HB	14 R 10	4		012074							
CR, HB	14 R 10	4		★011036							
CR, HB	14 R 11	3	382761	012047							
CR, HB	14 R 11	3		★011038							
CR, - HB	14 R 13	3	391668	★011001							
19-22' Bts. - AL	14 R 12	4		012075							
19-22' Bts. - AL	14 R 12	4		★011037							
17-19' Bts. - AL, SK	13-3/4 R 15	3	391198	★011002	389949	013028	13-1/4 x 15	3	013076	13-5/8 x 15	3 335030
15-18' Bts. - AL, SK	13-1/4 R 17	3	391199	★011003			13-1/4 x 17	3	013077	13-1/2 x 17	3 335031
15-18' Bts. - AL, SK	13-3/8 R 17	3			389948	013030					
15-18' Bts. - AL, SK	14 R 17	3	176214	★011024							
14-16' Bts. - AL, SK	13 R 19	3	390896	★011004	389510	013033	13-1/4 x 19	3	013078	13-3/8 x 19	3 335032
14-16' Bts. - AL, SK	14 R 19	3	176215	★011025							
13-15' Bts. - AL, SK	12-3/4 R 21	3	389788	★011005	389512	013034	13-1/4 x 21	3	013079	13-1/8 x 21	3 335033
13-15' Bts. - AL, SK	14 R 21	3	176216	★011026							



60-70 HORSEPOWER (4-STROKE)

60, 70 + (4-Stroke)1998 & Newer

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance St	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch Blades	RH	LH	Dia. x Pitch Blades	RH
17-19' Bts. - AL, SK	13-3/4 R 15	3		★061001		063001	13-1/4 x 15	3	063042	13-5/8 x 15	3 335530
15-18' Bts. - AL, SK	13-1/4 R 17	3		★061002		063002	13-1/4 x 17	3	063043	13-1/2 x 17	3 335531
14-16' Bts. - AL, SK	13 R 19	3		★061003		063003	13-1/4 x 19	3	063044	13-3/8 x 19	3 335532
14-16' Bts. - LL	13 R 21	3		★061004			13-1/4 x 21	3	063045	13-1/8 x 21	3 335533

60-90 HORSEPOWER

V-4 HP (PIN DRIVE)

60,65,75,80,85,901960-68

◆ Small Hub Prop uses special small nut #302001

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance St	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch Blades	RH	LH	Dia. x Pitch Blades	RH
17-19' Bts. - AL, SK	10 R 9-1/4	3	379260	◆012042							
17-19' Bts. - AL, SK	10-1/4 R 10	3	378040	012043							
16-17' Bts. - AL, SK	10 R 11	3	377978	012044							
14-16' Bts. - AL, SK	10 R 12	3	378039	012045							

100 HORSEPOWER

100 HP (PIN DRIVE)1966-68

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance St	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch Blades	RH	LH	Dia. x Pitch Blades	RH
20-24' Bts. - 1 Engine	14 x 11RH	3	382676	012089							
20-24' Bts. - 1 Engine	14 x 12RH	3	382017	012090							

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedles

- ★ New Cupped Version + Use stopper 57632-87E10, Spacer 57633-95501, Washer 09160-18018
- * If currently using uncupped propeller, use cupped propeller having 2" less pitch. Boats with power trim use same pitch.
- ◆ Available from Michigan Wheel Distributors - order part number 302001 (NP74)

85-140 HORSEPOWER • V4 GEARCASE

85 HP1969-80, 1991-95	115 HP1973 & Newer
88 HP1981-1996	120 HP1986-94
90 HP1981 & Newer	125 HP1971-72
100 HP1979-80, 1988-93	135 HP1973-76
110 HP1986-89	140 HP1977-94
112 HP1994-96		

(13 SPLINES & THRU HUB EXHAUST)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance St				
			OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	
CR, HB	14 R 10	4		012074										
CR, HB	14 R 10	4		★011036										
CR, HB	14 R 11	3	382761	012047										
CR, HB	14 R 11	3		★011038										
CR, HB	14 R 12	4		012075										
CR, HB	14 R 12	4		★011037										
CR, HB	14 R 13	3	391668	★011001										
20-24' Bts. - AL, SK	13-3/4 R 15	3	391198	★011002	389949	013028	13-1/4 x 15	3	013076			13-5/8 x 15	3	335030
19-22' Bts. - AL, SK	13-1/4 R 17	3	391199	★011003			13-1/4 x 17	3	013077			13-1/2 x 17	3	335031
19-22' Bts. - AL, SK	13-3/8 R 17	3			389948	013030								
19-22' Bts. - AL, SK	14 R 17	3	176214	★011024										
17-19' Bts. - AL, SK	13 R 19	3	390896	★011004	389510	013033	13-1/4 x 19	3	013078			13-3/8 x 19	3	335032
17-19' Bts. - AL, SK	14 R 19	3	176215	★011025										
15-18' Bts. - AL, SK	12-3/4 R 21	3	389788	★011005	389512	013034	13-1/4 x 21	3	013079			13-1/8 x 21	3	335033
15-18' Bts. - AL, SK	14 R 21	3	176216	★011026										
High Performance												Ballistic 3 XL		
High Performance												Ballistic 3 XL		

90-300 HORSEPOWER • V6 GEARCASE

V-4 Engines (w/ V-6 gearcase)

90 HP Pleasure1995 & Newer
100 HP Commercial1984 & Newer
115 HP Pleasure1995 & Newer
130 HP Pleasure1995 & Newer
120-140 HP Pleasure1985
140 (25) HP Pleasure1989-94

V-6 Engines

150 HP Commercial1993 & Newer
150 HP Pleasure1978 & Newer
155 HP Commercial1978 & Newer
175 HP Pleasure1977 & Newer
185 HP Pleasure1984-85

V-6 Engines (continued)

200 HP Pleasure1976 & Newer
200 HP Pleasure2000 & Newer
225 HP Pleasure1986 & Newer
235 HP Pleasure1978-85
250 HP Pleasure2001 & Newer
2.6 Liter Pleasure1984-85

V-8 Engines (w/ V-6 gearcase)

250 HP Pleasure1991 & Newer
275 HP Pleasure1986-88
300 HP Pleasure1986-95
3.6 Liter Pleasure1986-87

(15 SPLINES & THRU HUB EXHAUST)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance St				
			OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH	
CR, HB	15-1/2 R 10	3		011015										
CR, HB	15-1/2 R 13	3	391536	011016										
CR, HB	15-1/2 R 15	3	391535	011006										
CR, HB	15 R 15	3			174926	013052	14-1/4 x 15	3	013064	013065		14-7/8 x 15	3	345031
CR, HB	15 L 15	3			174927	013051								
20-26' Bts. - AL, SK	15 R 17	3	391200	011007	39129	013044	14-1/4 x 17	3	013066	013067		14-3/4 x 17	3	345032
20-26' Bts. - AL, SK	15 L 17	3			431930	013043								
18-22' Bts. - AL, SK	14-1/2 R 19	3	391201	011008	389924	013046	14-1/4 x 19	3	013068	013069		14-1/2 x 19	3	345033
18-22' Bts. - AL, SK	14-1/2 L 19	3			390821	013045								
17-19' Bts. - AL, SK	14-1/4 R 21	3	391202	011009	389923	013048	14-1/4 x 21	3	013070	013071		14-3/8 x 21	3	345034
17-19' Bts. - AL, SK	14-1/4 L 21	3			390822	013047								
15-18' Bts. - AL, SK	14-1/4 R 23	3	391203	011010	38901	013050	14-1/4 x 23	3	013072	013073		14-1/4 x 25	3	345035
Up to 17'							14-1/4 x 25	3	013074	013075				
High Performance												Ballistic 3 XL		
High Performance												Ballistic 3 XL		
High Performance												Ballistic 3 XL		

High Performance 4 Blade Propellers

50-62 MPH	13-3/4 R 22	4				** 013036			Ballistic 4 XL			13-3/4 x 23	4	435035
55-67 MPH	13-3/4 R 24	4				** 013038			Ballistic 4 XL			13-3/4 x 25	4	435036
60-72 MPH	13-3/4 R 26	4				** 013040			Ballistic 4 XL			13-3/4 x 27	4	435037

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weed

★ New Cupped Version

¶ 2-1/2" of skeg must be removed for proper fit. Use thrust washer 333592.

* If currently using uncupped propeller, use cupped propeller having 2" less pitch. Boats with power trim use same pitch.

** Forward thrust washer A-9500-111 comes with propeller and replaces the standard OMC thrust washer, except when used on 1991 or 1992.