

8 HORSEPOWER

8 HP1976 - 84

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance		Stainless		Ballistic High Performance S	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
14-16' - AL, SK	8-1/4 R 8	3	48-82764	012008								
14-16' - LL	8-1/4 R 9	3	48-82766	012101								

6-15 HORSEPOWER

6 HP 4-Stroke2000
 6, 8, 9.9 HP1986 & Newer
 Includes Marathon & 4-Stroke
 10 HP1995 & Newer
 15 HP1989 & Newer

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance		Stainless		Ballistic High Performance S	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
HB, WB	9-3/4 R 5-1/2	3	48-828148A12	032060								
HB, WB	9-3/4 R 6-1/2	3	48-828150A12	032058								
16-20' Bts. - AL	9-1/4 R 7	3	48-828152A12	032056								
14-19' Bts. - AL	9 R 8	3	48-828154A12	032054								
14-18' Bts. - AL	9 R 9	3	48-828156A12	032052								
14-16' Bts. - AL	9 R 10-1/2	3	48-828158A12	032050								

15-25 HORSEPOWER

15 HP1976 - 81
 15A1979 - 82
 W151977 - 85
 (PIN DRIVE)
 20 HP1976 - 79
 25 HP1977 - 79

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance		Stainless		Ballistic High Performance S	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
HB, SB	9-1/4 R 7	3	48-96628	012102								
12-14' Bts. - HL	9 R 10	3	48-96625	012011								
12-14' Bts. - AL, SK	9-1/4 R 11	3	48-96623	012013								
12-14' Bts. - LL	9-1/4 R 12	3	48-96622	012010								

20-25 HORSEPOWER

20-25 HP1985 & Newer
 Includes Bigfoot, Marathon & 4-Stroke
 (THRU HUB EXHAUST)

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance		Stainless		Ballistic High Performance S	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
15-19' Bts.	10-3/8 R 11	3	48-19638A40	031049								
13-17' Bts.	10-3/8 R 13	3	48-19640A40	031048							10-1/8 x 13	3 305129
Up to 14' Bts.	10-1/4 R 14-1/2	3	48-19642A40	031047							10-1/8 x 15	3 305130

25-30 HORSEPOWER

25 HP1980 - 84
 28 HP1976 - 79
 (FLOW-THRU EXHAUST)
 30 HP1979 - 90

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance		Stainless		Ballistic High Performance S	
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades
16-18' Bts. - AL, SK	9-7/8 R 9	3	48-81647	022001								
16-18' Bts. - AL, SK	9-7/8 R 9	3		★021001								
14-17' Bts. - AL, SK	9-7/8 R 10-1/2	3	48-81649	022002								
13-16' Bts. - LL	9-3/8 R 12	3	48-82826	022003								

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Wee

★ New Cupped Version

30-80 HORSEPOWER

30 HP1994 & Newer
 40 HP1978 & Newer
 45 HP1986 - 89
 48 HPAll Years
 50 HP1980 & Newer
 Includes Bigfoot, Marathon, & 4-Stroke unless noted otherwise.

55 HP1995 & Newer
 60 HP (Not Bigfoot or Marathon)1978 & Newer
 70 HPthru 1983
 60 HP1976 See listing under Mercury section on pages 2
 80 HP1977 See listing under Mercury section on pages 2

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum OEM Part No.	Aluminum Part No. Michigan	Stainless Part No. OEM	Stainless Part No. Michigan	Rapture Performance Dia. x Pitch	Blades	Stainless RH	Stainless LH	Ballistic High Performance St Dia. x Pitch	Blades	RH
19' Bts. & Up	12-1/2 R 8	3	48-42738A1	032141									
19' Bts. & Up	12-1/2 R 8	3	48-42738A10	★031070									
17-19' Bts. - AL, SK	11-1/4 R 10	3	48-73132A40	031015			10-1/2 x 10	3	033088				
16-18' Bts. - AL, SK	12 R 10-1/2	3	48-42740A10	032142									
16-18' Bts. - AL, SK	12 R 10-1/2	3	48-42740A10	★031071									
16-18' Bts. - AL, SK	10-7/8 R 11	3	48-85632A40	031053									
15-17' Bts. - AL, SK	10-3/4 R 12	3	48-816702A40	031056									
15-17' Bts. - AL, SK	10-5/8 R 12	3	48-73134A40	031016	48-79792A5	033001	10-1/2 x 12	3	033089				
14-17' Bts. - AL, SK	10-1/2 R 13	3	48-816704A40	031057									
14-17' Bts. - AL, SK	10-3/8 R 13	3	48-73136A40	031017			10-1/2 x 13	3	033090		10-1/8 x 13	3	395129
14-16' Bts. - LL	10-3/8 R 14	3	48-76230A5	031058									
14-16' Bts. - LL	10-1/4 R 14	3	48-73138A40	031018	48-76230A5	033028	10-1/2 x 14	3	033091				
13-15' Bts. - LL	10-1/8 R 15	3	48-7314A40	031019			10-1/2 x 15	3	033092		10-1/8 x 15	3	395130
Up to 15' Bts. - LL	10 R 17	3	48-73144A40	031020									

60-125 HORSEPOWER • V4 GEARCASE

60 HP (Bigfoot & Marathon Only)1995 & Newer
 75 HP1984 & Newer
 75 HP (4-Stroke)2001 & Newer
 80 HP1978 - 83
 90 HP1978 & Newer
 Includes Marathon & Offshore

90 HP (4-Stroke)2001 & Newer
 100 HP1988 & Newer
 115 HP1978 & Newer
 115 HP (4-Stroke)2001 & Newer
 125 HP1994 & Newer

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum OEM Part No.	Aluminum Part No. Michigan	Stainless Part No. OEM	Stainless Part No. Michigan	Rapture Performance Dia. x Pitch	Blades	Stainless RH	Stainless LH	Ballistic High Performance St Dia. x Pitch	Blades	RH
25' Bts. & Up - AL	14 R 11	3	48-77338A40	▼031054									
22' Bts. & Up - AL	14 R 13	3	48-77340A40	▼031055									
20-24' Bts. - AL, SK	13-3/4 R 15	3	48-77342A40	◆031041	48-16986A5	◆033016	13-1/4 x 15	3	◆033084		13-5/8 x 15	3	335130
17-19' Bts. - AL, SK	13-1/4 R 17	3	48-77344A40	◆031042	48-16988A5	◆033017	13-1/4 x 17	3	◆033085		13-1/2 x 17	3	335131
16-18' Bts. - AL, SK	13 R 19	3	48-77346A40	▼031043	48-16990A40	▼033018	13-1/4 x 19	3	◆033086		13-3/8 x 19	3	335132
15-18' Bts. - AL, SK	12-3/4 R 21	3	48-77348A40	▼031044									
15-18' Bts. - AL, SK	13 R 21	3			48-16992A40	▼033019	13-1/4 x 21	3	◆033087		13-1/8 x 21	3	335133
14-16' Bts. - AL, SK	12-1/2 R 23	3	48-77350A40	▼031045									

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weed

★ New Cupped Version. ▼ Use thrust washer I3191A1.

◆ To avoid damage or injury, replace standard trim tab with trim tab 822777A1 and thrust washer I3191A1 must be used.

Note: When replacing Flo-Torq III™ plastic hub props, for all Mariner® V-4 & V-6 engines, aft castle washer I2-31211A2 and conductivity washer I3-42351-1 are required in addition to other hardware supplied with original propeller. For complete details, see page 34 for Michigan Match/Rapture, or page 18 for Ballistic.



**Sit Down!
 Shut Up!
 Hang On!**

RAPTURE

135-275 HORSEPOWER • V6 GEARCASE

135 HP1986 & Newer
 150 HP1979 & Newer
 175 HP1978 & Newer
 200 HP1979 & Newer

220 HP1987-88
 225 HP1994 & Newer
 250 HP1990 & Newer
 275 HP1990-94

Includes DFI, EFI, Magnum, Offshore, Optimax, Sea Pro & XRI
 Use Thrust Washer 13171
 Add 4" pitch for twin motors

PROPELLER APPLICATION

Boat Description	Diameter Rot. & Pitch	Blades	Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless		Ballistic High Performance St				
			OEM	Michigan	OEM	Michigan	Di. x Pitch	Blades	RH	LH	Di. x Pitch	Blades	RH
CR, HB	16 R 11	3	48-78112A40	031021									
CR, HB	16 R 12	3	48-16436A40	031063									
CR, HB	16 R 13	3	48-78114A40	031022									
22-25' Bts. - AL	16 R 14	3	48-16438A40	031050									
21-24' Bts. - AL	15-1/4 R 15	3	48-78116A40	031023									
21-24' Bts. - AL	14-1/2 R 15	3			48-16312A4	033002	14-1/4 x 15	3	♣033072	♣033073	14-7/8 x 15	3	345131
20-23' Bts. - AL, SK	16 R 16	3	48-16440A40	031051									
19-23' Bts. - AL, SK	14-1/2 R 17	3	48-78118A40	031024	48-16314A4	033003	14-1/4 x 17	3	♣033074	♣033075	14-3/4 x 17	3	345132
19-23' Bts. - AL, SK	15 R 17	3	48-832828A45	031064									
19-22' Bts. - AL, SK	15-1/2 R 18-1/2	3	48-11324A45	031052									
18-22' Bts. - AL, SK	14 R 19	3	48-78120A40	031025	48-16316A4	033004	14-1/4 x 19	3	♣033076	♣033077	14-1/2 x 19	3	345133
18-22' Bts. - AL, SK	14-1/2 R 19	3	48-832830A45	031065									
18-20' Bts. - AL, SK	13-3/4 R 21	3	48-78122A40	031026	48-16318A4	033005	14-1/4 x 21	3	♣033078	♣033079	14-3/8 x 21	3	345134
18-20' Bts. - AL, SK	14-1/4 R 21	3	48-832832A45	031066									
17-20' Bts. - AL, SK	13-1/2 R 23	3	48-78124A40	031027	48-16320A4	033006	14-1/4 x 23	3	♣033080	♣033081	14-1/4 x 23	3	345135
17-20' Bts. - AL, SK	14 R 23	3	48-832834A45	031068									
Up to 18' Bts.	13-3/8 R 25	3	48-78126A40	031067			14-1/4 x 25	3	♣033082	♣033083	14-1/4 x 25	3	345136
High Performance									Ballistic 3 XL		14-1/2 x 22	3	345141
High Performance									Ballistic 3 XL		14-1/2 x 24	3	345137
High Performance (EFI Engine)									Ballistic 3 XL		14 x 24	3	345139
High Performance									Ballistic 3 XL		14-1/2 x 26	3	345138
High Performance (EFI Engine)									Ballistic 3 XL		14 x 26	3	345140

High Performance 4 Blade Propellers

50-62 MPH	13-3/4 R 22	4			033038		Ballistic 4 XL	13-3/4 x 23	4	435135
55-67 MPH	13-3/4 R 24	4	• Use thrust washer A-9500-110		033040		Ballistic 4 XL	13-3/4 x 25	4	435136
60-72 MPH	13-3/4 R 26	4	provided with propeller.		033042		Ballistic 4 XL	13-3/4 x 27	4	435137

Stainless Steel Performance Propellers for Offshore or Heavy Boats

18-21' - AL, SK	15-1/4 R 19	3			48-13700A41	033030				
18-20' - AL, SK	14-3/4 R 21	3			48-13702A41	033032				
17-20' - AL, SK	14-5/8 R 23	3			48-13704A41	033034				
16-19' - AL, SK	14-1/2 R 25	3			48-13706A41	033036				
	15-1/4 L 19	3			48-13701A41	033029				
	14-3/4 L 21	3			48-13703A41	033031				
	14-5/8 L 23	3			48-13705A41	033033				
	14-1/2 L 25	3			48-13707A41	033035				



Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weed

■ Larger blade area design used primarily on 1997 and newer applications.

♣ To avoid damage or injury, replace standard trim tab with trim tab 822777A1 and thrust washer 13191A1 must be used.

Note: When replacing Flo-Torq II™ plastic hub props, for all Mariner® V-4 & V-6 engines, aft castle washer 12-31211A2 and conductivity washer 13-42351-1 are required in addition to other hardware supplied with original propeller. For complete details, see page 34 for Michigan Match/Rapture, or page 18 for Ballistic.

